

RICEPRO® HERBICIDE

FOR DISTRIBUTION AND USE ONLY IN ARKANSAS
SUPPLEMENTAL LABEL

TO BE USED IN CONJUNCTION WITH COMMAND 3ME SLN LABEL

EPA REG. NO.: 71085-26

FOR AERIAL APPLICATION ONLY OF RICEPRO® HERBICIDE IN A THREE WAY TANK-MIX WITH
COMMAND® 3ME HERBICIDE PLUS PERMIT OR FACET 75 DF IN THE STATE OF ARKANSAS

FOR AGRICULTURAL OR COMMERCIAL USE ONLY

THIS LABEL FOR RICEPRO HERBICIDE IS VALID UNTIL WITHDRAWN, CANCELLED OR SUSPENDED.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON ALL EPA REGISTERED
LABELS AND COMMAND 3ME SLN No. AR08-0001 LABEL ARE TO BE FOLLOWED.

THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS
LABELING.

DIRECTIONS FOR USE

For aerial application only:

WEEDS CONTROLLED

Barnyardgrass (watergrass)	Echinochloa crus-gali
Broadleaf signalgrass	Brachiaria platyphyllia
Coffeeweed	Sesbania herbacea
Crabgrass	Digitaria spp.
Croton	Croton spp.
Curly indigo	Aeschynomene virginica
Eclipta	Eclipta prostrata
Foxtail	Setaria spp.
Goosegrass	Eleusine indica
Gulf cockspur	Echinochloa crus-pavonis
Hemp sesbania	Sesbania exaltata
Jointvetches (Northern and Indian)	Aeschynomene spp.
Junglerice	Echinochloa colonum
Mexicanweed	Caperonia castanifolia
Millet (Texas)	Urochloa texana
Morningglory spp.	Ipomoea spp.
Paragrass	Urochloa mutica
Pigweed	Amaranthus spp.
Sourdock	Rumex crispus
Spearhead	Phacelia hastata

(RicePro will not control arrowhead, Bermudagrass, cattail, ducksalad, Johnsongrass, nutgrass, red rice and sprangletop).

REFER TO THE COMMAND 3ME AND OTHER PRODUCT LABELS FOR ADDITIONAL WEEDS
CONTROLLED/SUPPRESSED.

Apply 3-4 quarts RICEPRO with Command® 3ME and Permit or Facet as a three-way tank-mix. This tank-mix should be applied after rice emerges (1-2 leaf stage) for control of existing weeds present at the time of aerial application.

Observe all buffer restrictions noted under Product Restrictions and Application Restrictions/ Precautions sections.

CROP SAFETY PRECAUTIONS:

Application to fields which have been precision leveled with deep cuts may result in rice crop injury including stand loss. Consult with rice specialists for soil amending practices which can reduce potential for herbicide injury in precision leveled fields.

AERIAL APPLICATION REQUIREMENTS:

Refer to Arkansas Pesticide Use and Application Act and Regulations. Act 389 or 1975 as amended (pages 15-17).

APPLICATION PRECAUTIONS:

Caution must be taken to minimize off target drift of this tank-mix as off-site movement can cause foliar whitening or yellowing of some plants.

- Do not apply with 1200 feet of the following areas:
- Towns and Housing Developments
- Commercial Vegetable Production (except peppers, pumpkins, succulent peas, sweet corn, sweet potato and winter squash)
- Commercial Fruit/Nut Production
- Commercial Nurseries
- Commercial Greenhouses
- Avoid making applications of the tank-mix when spray particles may be carried by air currents to areas where sensitive crops and plants are growing, or when temperature inversions exist. Prior to application, adjacent properties must be checked, and applications within 300 feet of desirable plants must be avoided.

RICEPRO PRODUCT RESTRICTIONS:

DO NOT apply this product through any type of irrigation system.

DO NOT use water from rice cultivation after an application to irrigate any crop other than rice.

DO NOT plant or transplant crops in the treated area for 60 days following an application of this product.

DO NOT apply more than 1.5 gallons of RicePro® (6.0 lbs propanil) per acre per application. Do not apply more than 2.0 gallons of RicePro (8.0 lbs propanil) per acre per season.

Application to fields where commercial catfish farming or crustacean (crayfish) is practiced and draining water from treated fields into areas where catfish farming or crustacean (crayfish) are practiced is prohibited.

DO NOT apply RicePro within 14 days before or after application of carbamates or organophosphate products.

Serious injury to rice may occur.

DO NOT apply RicePro directly or indirectly to any crop except rice. DO NOT allow this product to drift outside of the intended target areas. (See Spray Drift Management section

DO NOT apply RicePro when wind conditions will allow drift to adjacent, susceptible crops such as beans, soybeans, cotton, sunflower, cucurbits, vegetables, orchards and other sensitive crops.

DO NOT rotate to crops other than rice for 309 days following application

- Eggplants and tobacco should not be planted within 12 months on fields treated with this product.

- Tomatoes and carrots should not be planted within 24 months on fields treated with this product.

In case of crop failure, only rice may be immediately replanted.

DO NOT apply within 60 days of harvest.

DO NOT apply to rice that is heading.

DO NOT use on precision-cut fields until the second rice crop, as injury can occur.

DO NOT use on sand and loamy sand soils.

DO NOT apply to rice fields with a history of poor water-holding capacity (porous subsoil), as erratic weed control may result.

DO NOT apply on any rice soil that does not have an impermeable hard pan to provide good water holding capacity.

DO NOT use rice straw or processing byproducts, such as chaff, hulls, etc., as soil amendments or mulch for high value crops, such as bedding stock, vegetable transplants, or ornamental and fruit trees.

DO NOT apply this product when air temperatures exceed 90°F.

Water drained from treated rice fields must not be used to irrigate other crops or released within 1/2 milesupstream of a potable water intake in flowing water (e.g., river, stream, etc.) or within 1/2 mile of a potable water intake in a standing body of water, such as a lake, pond or reservoir.

*Refer to product labels for Command 3ME and other tank-mix partners for additional restrictions.

When using Facet, refer to product label for additional Arkansas restrictions.

ROTATIONAL CROP GUIDELINES:

Refer to Command 3ME and other tank mix partner federal labels for all rotational crop guidelines and restrictions.

*Refer to 'REQUIREMENTS FOR PLANTING TIME APPLICATIONS' and "REPLANTING INSTRUCTIONS" in the Command 3ME and other tank mix partner federal labels.

Manufactured for:

RICECO LLC

5100 Poplar Avenue, Suite 2428

Memphis, TN 38137

1/7/13

RicePro is a registered trademark of RiceCo LLC

Command is a registered trademark of FMC

Permit is a registered trademark of Gowan

Facet is a registered trademark of BASF