

# STAM® M4 HERBICIDE

FOR DISTRIBUTION AND USE ONLY IN ARKANSAS  
SUPPLEMENTAL LABEL

To be Used in Conjunction with Command 3ME

EPA REG. NO.: 71085-36

FOR AERIAL APPLICATION ONLY OF STAM®M4 HERBICIDE IN A THREE WAY TANK-MIX  
WITH COMMAND® 3ME (SLN AR08-0001) AND PERMIT® PLUS HERBICIDES ON RICE IN THE  
STATE OF ARKANSAS

THIS LABEL FOR STAM M4 HERBICIDE IS VALID UNTIL WITHDRAWN, CANCELLED OR  
SUSPENDED.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON EACH OF THE EPA  
REGISTERED LABELS AND THE COMMAND 3ME SLN LABEL ARE TO BE FOLLOWED.

THIS LABEL, THE CURRENT EPA REGISTERED LABEL FOR STAM M4 HERBICIDE (EPA REG.  
NO. 71085-36) AND COMMAND 3ME SLN (AR08-0001) MUST BE IN THE POSSESSION OF THE USER  
AT THE TIME OF PESTICIDE APPLICATION.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT  
WITH ITS LABELING.

## DIRECTIONS FOR USE

### For aerial application only:

STAM M4 is a selective postemergence herbicide for use in rice only for the control of the following weeds:

Common Name	Scientific Name
annual sedge	<i>Cyperus</i> spp.
barnyardgrass <sup>†</sup>	<i>Echinochloa crus-galli</i>
beakrush (spearhead)	<i>Rhynchospora corniculata</i>
broadleaf signalgrass	<i>Brachiaria platyphylla</i>
crabgrass species	<i>Digitaria</i> spp.
curly dock	<i>Rumex crispus</i>
foxtail species	<i>Setaria</i> spp.
goosegrass	<i>Eleusine indica</i>
gulf cockspur	<i>Echinochloa crus-pavonis</i>
hemp sesbania (coffeebean)	<i>Sesbania exaltata</i>
hoorahgrass	<i>Fimbristylis miliaceae</i>
junglerice <sup>†</sup>	<i>Echinochloa colonum</i>
Mexicanweed	<i>Caperonia castaniifolia</i>
paragrass	<i>Panicum purpurascens</i>
redroot pigweed	<i>Amaranthus retroflexus</i>
redweed	<i>Melochia corchorifolia</i>
rice flatsedge	<i>Cyperus iria</i>
smallflower umbrella plant	<i>Cyperus difformis</i>
spikerush (wiregrass)	<i>Eleocharis</i> spp.
Texas panicum	<i>Panicum texanum</i>
watergrass <sup>†</sup>	<i>Echinochloa</i> spp.
woolly croton	<i>Croton capitatus</i>

REFER TO THE COMMAND 3ME AND OTHER PRODUCT LABELS FOR ADDITIONAL WEEDS  
CONTROLLED/SUPPRESSED.

Apply 3 - 4 quarts STAM M4 with Permit® and Command® 3 ME as a three way tank-mix as an aerial application. This three way tank-mix should be applied after rice emerges (1-2 leaf stage) for control of existing weeds present at the time of application.

Observe all buffer restrictions noted under Product Restrictions and Application Restrictions/ Precautions sections.

**CROP SAFETY PRECAUTIONS:**

Application to fields which have been precision leveled with deep cuts may result in rice crop injury including stand loss. Consult with rice specialists for soil amending practices which can reduce potential for herbicide injury in precision leveled fields.

**AERIAL APPLICATION REQUIREMENTS:**

Refer to Arkansas Pesticide Use and Application Act and Regulations. Act 389 or 1975 as amended (pages 15-17).

**APPLICATION PRECAUTIONS:**

Caution must be taken to minimize off target drift of this three way tank-mix as off-site movement can cause foliar whitening or yellowing of some plants.

Do not apply with 1200 feet of the following areas:

- Towns and Housing Developments
- Commercial Vegetable Production (except peppers, pumpkins, succulent peas, sweet corn, sweet potato and winter squash)
- Commercial Fruit/Nut Production
- Commercial Nurseries
- Commercial Greenhouses

Avoid making applications of the three way tank-mix when spray particles may be carried by air currents to areas where sensitive crops and plants are growing, or when temperature inversions exist. Prior to application, adjacent properties must be checked, and applications within 300 feet of desirable plants must be avoided.

In addition to the above statewide requirements, the following additional restriction will apply to Poinsett County: No water diluted spray of this three way tank-mix herbicide shall be applied by air in an area one mile west of Highway #1 to one mile east of Highway # 163 from the Craighead-Poinsett County line to the Cross-Poinsett County Line.

**STAM M4 PRODUCT RESTRICTIONS:**

- **Preharvest Interval:** Do not apply this product within 60 days of rice harvest.
- **Chemigation:** Do not apply this product through any type of irrigation system.
- **Do not** apply more than a maximum of 6 quarts of Stam M4 (6 lb active ingredient) per acre in a single application or exceed 8 quarts of Stam M4 (8 lb active ingredient ) per acre total dosage per season.
- **Do not** apply this product to any crop other than rice. Stam M4 will cause injury to most crops except cereal grains and perennial grasses.
- **Do not** apply this product (directly or indirectly) to wild rice (*Zizania* spp.).
- Avoid drift or accidental application from turning aircraft on beans, cotton, soybeans, corn, safflower, seedling legumes, cucurbits, vegetables, orchards, vineyards, gardens, shrubs and ornamentals. Once applied, Stam M4 does not release fumes hazardous to nearby crops.
- Applications to fields where catfish farming is practiced and draining water from treated fields into areas where catfish farming is practiced is prohibited **during 12 months following treatment.**
- **Do not** graze treated fields or feed treated forage within 60 days of the last application.
- **Do not** apply when weather conditions favor drift from area to be treated.
- **Do not** plant or transplant crops in the treated area for at least 60 days following an application of this product,
- **Do not** rotate treated land to other crops or transplant to crops other than rice for 60 days following treatment of this product.
- **Do not** apply this product within 14 days before or after carbamate or organophosphate insecticide applications. Otherwise, serious injuries to rice may occur.

- Water drained from treated rice fields must not be used to irrigate other crops or released within 2 miles upstream of a potable water intake in flowing water (e.g., river, stream, etc.) or within 2 miles of a potable water intake in a standing body of water, such as a lake, pond or reservoir.

If initial planting of rice fails to produce a uniform stand, rice may be replanted in fields treated with this product. Do not retreat fields with a second application. Do not replant treated fields with any crop at intervals that are inconsistent with the ROTATIONAL CROP GUIDELINES on each tank mix label.

Refer to product labels for Command 3ME and other tank mix partners for additional restrictions.

Refer to ‘REQUIREMENTS FOR PLANTING TIME APPLICATIONS’ and ‘REPLANTING INSTRUCTIONS’ in the Command 3ME federal label as well as the third tank mix product federal label.

**Manufactured for:**

**RICECO LLC**

**5100 Poplar Avenue, Suite 2428**

**Memphis, TN 38137**

01/13

Command is a registered trademark of FMC

Permit is a registered trademark of Gowan